

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	6	((("20050066102") or ("20040215857")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:20
S3	17	((("5291189") or ("5515482") or ("5664078") or ("5771046") or ("5895502") or ("5982398") or ("6232986") or ("6480920")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:24
S4	2	("2000259510").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:21
S5	2	("10067481").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:28
S6	2	("20020133654").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 09:29
S7	10	((("20020133654") or ("20030018844") or ("20040083309") or ("20040130016") or ("20040133712")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/12 10:56
S8	9601	pc card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 10:57
S9	617	710/301.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:12

S10	162	710/301.ccls. and pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:49
S11	749	pci express	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:26
S13	770	pci near1 express	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:29
S14	0	pcmia same S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:29
S16	2009	pcmcia same usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:45
S17	16754	pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 12:33
S18	27	pcmcia same S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:30
S19	358	pc card connector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:45

S20	65	pc card connector same pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:45
S22	56	non near2 pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:54
S23	3	S20 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 11:46
S24	15	passive near1 card near1 adapt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 17:55
S26	67	passive card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/12 17:55
S27	7851	power supply near4 switch\$3 circuit\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 12:24
S28	4347	power supply near4 switching circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 12:24
S29	54	power supply voltage switching circuit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 12:24

S30	90	pcmcia same passive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 09:06
S31	28	pcmcia same passive (adaptor or adapter or card)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/12/13 12:39
S32	56	non near2 pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 12:50
S33	16	non near2 pcmcia and voltage\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:11
S34	123	pcmcia and passive and (smartcard or compact flash)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:12
S35	98	pcmcia and passive and (smartcard or compact flash) and (configur\$3 or reconfigur\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:12
S36	48	pcmcia and passive and (smartcard or compact flash) and (configur\$3 or reconfigur\$3) and usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:12
S37	48	pcmcia and passive and (smartcard or compact flash) and (configur\$3 or reconfigur\$3) and usb\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:12

S38	30951	bus interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:35
S39	292	bus interface near2 switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:41
S40	18	bus interface near2 switch\$3 same card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:42
S41	616	710/105.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:38
S42	15	card number table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 13:49
S43	27	pcmcia same passive and power supply	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:01
S44	17	multiple bus standard\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:04
S45	2	("5177737").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/13 14:04

S46	415	710/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:39
S47	57	710/14.ccls. and pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:41
S48	30	activat\$3 near3 power (switch or supply) near5 insert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:54
S49	323	usb"2"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:55
S50	163	usb"2.0"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:14
S51	14	usb"2.0" and pcmcia	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/13 14:55
S52	30559	drive voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 09:06
S53	55	drive voltage with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 09:07

S54	56005	power switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 09:35
S55	517	second power switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 09:35
S56	2	second power switch with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 09:35
S57	279	voltage near1 becom\$3 near2 stable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:32
S58	151	voltage near1 becom\$3 near2 stable same time	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:32
S59	20	voltage near1 becom\$3 near2 stable same time near2 predetermined	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:32
S60	7	voltage near1 becom\$3 near2 stable same time near2 predetermined with signal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:34
S61	13	S59 not S60	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 14:34
S62	4	(US-20040039854-\$ or US-20050066102-\$).did. or (US-5920731-\$ or US-5930496-\$). did.	US-PGPUB; USPAT	ADJ	OFF	2005/12/16 15:33

S63	2	S62 and power same insert\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 15:17
S64	53024	predetermined time period	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 15:17
S65	14309	predetermined time period with signal\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 15:17
S66	1180	predetermined time period with signal\$3 with voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 15:18
S67	11	predetermined time period with signal\$3 with voltage with stable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 15:18
S68	0	S62 and count	US-PGPUB; USPAT	ADJ	OFF	2005/12/16 15:33
S69	1	S62 and count\$3	US-PGPUB; USPAT	ADJ	OFF	2005/12/16 15:33
S70	1088	usb "2.0"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:14
S71	49	S70 and (PCIexpress or pci express)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:17
S72	26	S70 same (PCIexpress or pci express)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:20



S73	23	S70 with (PCIexpress or pci express)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:32
S74	1	card with compatible same (S70 with (PCIexpress or pci express))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:32
S75	0	card with compatible same (S70 same (PCIexpress or pci express)) not S73	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:33
S76	0	card with compatible with S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:33
S77	6864	card with compatible	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:33
S78	308	card with compatible same usb	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:34
S79	4	card with compatible same (usb"2.0" or usb "2.0")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/16 16:36
S80	5	compatible same ((usb"2.0" or usb "2.0") and (pciexpress or pci express))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 07:34

S81	6	(usb"2.0" or usb "2.0") and (pciexpress or pci express) and usb hub	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 07:34
S82	683	card same regulator with voltage\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:39
S83	52	card same regulator with voltage\$2 same adapt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:40
S84	4	card same regulator with voltage\$2 same adapt	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:46
S85	11	second card same regulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:49
S86	3304	regulat\$3 with power supply voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:50
S87	41	regulat\$3 with power supply voltage with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:57
S88	3	regulate near2 power supply voltage with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:58

S89	3	regulate near6 power supply voltage with card	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 08:59
S90	5	pcmcia card with regulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 09:06
S91	53	"1.5" with "3.3" with regulat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2005/12/19 09:06